

# ➔ HOW TO USE THIS GUIDE

**T**ow ratings for all vehicle manufacturers are listed in alphabetical order and are organized by model type and configuration. In many instances, you will find a letter, or a letter and a number, identifying the equipment each rating is based on (i.e. automatic or manual transmission, gear ratio and required package). You will find the meaning for each of these, as well as abbreviations, in the Key to Charts. If there is no letter after the rating, that means there is only one rating available. Likewise, you may find the word "All" in the engine column; that means all available engines are capable of that particular tow rating.

Because each manufacturer lists its vehicles differently, we have found it necessary over the years to make changes to keep this guide consistent and concise. This year, the biggest change is with regard to Ford's F-Series ratings — in particular, the Super Duty models. Not only are all models separated by conventional and fifth-wheel categories, Ford has added weight-carrying/weight-distributing numbers

that relate to both available equipment and gross combined weight rating (GCWR). So this year, we've added footnotes that reference what GCWR a particular Super Duty weight rating is tied to. And because there simply isn't room to list every possible option and exception to a given number, we've listed the highest available number in each instance. In most cases, the difference is within 100 pounds, which isn't significant to RVers, anyway. If in doubt, consult Ford's online *2017 RV & Trailer Towing Guide*, which lists these differences in detail.

Where applicable, we've included relevant manufacturer's notes for a particular vehicle or model line, but always check with your dealer for details on the model you plan to purchase, including tow rating, payload capacity, GCWR, gross vehicle weight rating (GVWR) and gross axle weight rating (GAWR). Conducting your own research and double-checking the spec sheet are the best ways to make sure you're getting the right vehicle for your particular needs.

## 2017 TOW RATINGS

2008 CC LB (SFR) 2400	6.0L V-8 TO 15,000/15,000 (I)	Subaru/Taken XC 2000	5.2L V-4	6,300 (G)	Subaru/Taken XT 2000	5.2L V-4	6,300 (G)	Subaru/Taken XT 4000	5.2L V-4	6,000 (G)	Taken/Taken 4000	5.2L V-4	8,400/8,200 (G)	Yamaha/Ducati 4000	5.2L V-4	8,100	Yamaha XC 4000	5.2L V-4	8,100	Yamaha XC Limited 4000	5.2L V-4	8,100	Yamaha XC Limited 4000	5.2L V-4	7,800
2008 CC LB (SFR) 2400	6.0L V-8 TO 15,000/22,000 (I)	Subaru/Taken XT 2400	5.2L V-4	6,300 (G)	Subaru/Taken XT 4000	5.2L V-4	6,000 (G)	Taken/Taken 2400	5.2L V-4	6,000/6,500 (G)	Taken/Taken 4000	5.2L V-4	8,400/8,200 (G)	Yamaha/Ducati 4000	5.2L V-4	8,100	Yamaha XC 4000	5.2L V-4	8,100	Yamaha XC Limited 4000	5.2L V-4	8,100	Yamaha XC Limited 4000	5.2L V-4	7,800
2008 CC LB (SFR) 2400	6.0L V-8 TO 15,000/22,000 (I)	Subaru/Taken XT 4000	5.2L V-4	6,000 (G)	Taken/Taken 2400	5.2L V-4	6,000/6,500 (G)	Taken/Taken 4000	5.2L V-4	8,400/8,200 (G)	Yamaha/Ducati 4000	5.2L V-4	8,400/8,200 (G)	Yamaha/Ducati 4000	5.2L V-4	8,100	Yamaha XC 4000	5.2L V-4	8,100	Yamaha XC Limited 4000	5.2L V-4	8,100	Yamaha XC Limited 4000	5.2L V-4	7,800
2008 CC LB (SFR) 2400	6.0L V-8 TO 15,000/22,000 (I)	Subaru/Taken XT 4000	5.2L V-4	6,000 (G)	Taken/Taken 2400	5.2L V-4	6,000/6,500 (G)	Taken/Taken 4000	5.2L V-4	8,400/8,200 (G)	Yamaha/Ducati 4000	5.2L V-4	8,400/8,200 (G)	Yamaha/Ducati 4000	5.2L V-4	8,100	Yamaha XC 4000	5.2L V-4	8,100	Yamaha XC Limited 4000	5.2L V-4	8,100	Yamaha XC Limited 4000	5.2L V-4	7,800

2008 CC LB (SFR) 2400	6.0L V-8 TO 15,000/22,000 (I)	Subaru/Taken XT 4000	5.2L V-4	6,000 (G)	Taken/Taken 2400	5.2L V-4	6,000/6,500 (G)	Taken/Taken 4000	5.2L V-4	8,400/8,200 (G)	Yamaha/Ducati 4000	5.2L V-4	8,400/8,200 (G)	Yamaha/Ducati 4000	5.2L V-4	8,100	Yamaha XC 4000	5.2L V-4	8,100	Yamaha XC Limited 4000	5.2L V-4	8,100	Yamaha XC Limited 4000	5.2L V-4	7,800
2008 CC LB (SFR) 2400	6.0L V-8 TO 15,000/22,000 (I)	Subaru/Taken XT 4000	5.2L V-4	6,000 (G)	Taken/Taken 2400	5.2L V-4	6,000/6,500 (G)	Taken/Taken 4000	5.2L V-4	8,400/8,200 (G)	Yamaha/Ducati 4000	5.2L V-4	8,400/8,200 (G)	Yamaha/Ducati 4000	5.2L V-4	8,100	Yamaha XC 4000	5.2L V-4	8,100	Yamaha XC Limited 4000	5.2L V-4	8,100	Yamaha XC Limited 4000	5.2L V-4	7,800
2008 CC LB (SFR) 2400	6.0L V-8 TO 15,000/22,000 (I)	Subaru/Taken XT 4000	5.2L V-4	6,000 (G)	Taken/Taken 2400	5.2L V-4	6,000/6,500 (G)	Taken/Taken 4000	5.2L V-4	8,400/8,200 (G)	Yamaha/Ducati 4000	5.2L V-4	8,400/8,200 (G)	Yamaha/Ducati 4000	5.2L V-4	8,100	Yamaha XC 4000	5.2L V-4	8,100	Yamaha XC Limited 4000	5.2L V-4	8,100	Yamaha XC Limited 4000	5.2L V-4	7,800
2008 CC LB (SFR) 2400	6.0L V-8 TO 15,000/22,000 (I)	Subaru/Taken XT 4000	5.2L V-4	6,000 (G)	Taken/Taken 2400	5.2L V-4	6,000/6,500 (G)	Taken/Taken 4000	5.2L V-4	8,400/8,200 (G)	Yamaha/Ducati 4000	5.2L V-4	8,400/8,200 (G)	Yamaha/Ducati 4000	5.2L V-4	8,100	Yamaha XC 4000	5.2L V-4	8,100	Yamaha XC Limited 4000	5.2L V-4	8,100	Yamaha XC Limited 4000	5.2L V-4	7,800

# 2017 TOW RATINGS

OUR 34TH ANNUAL GUIDE LISTS MANUFACTURER-ASSIGNED TOW LIMITS FOR 905 NEW VEHICLES IN A SINGLE RESOURCE

KEY TO CHARTS

## VEHICLE

<b>Reg Cab</b>	Regular Cab	<b>PV</b>	Passenger Van	<b>SWB</b>	Short Wheelbase
<b>Ext Cab</b>	Extended Cab	<b>SRW</b>	Single Rear Wheel	<b>LWB</b>	Long Wheelbase
<b>CC</b>	Crew Cab	<b>DRW</b>	Dual Rear Wheel	<b>EL</b>	Extra Length
<b>DC</b>	Double Cab	<b>AWD</b>	All-Wheel Drive	<b>LR</b>	Low Roof
<b>SB</b>	Shortbed	<b>FWD</b>	Front-Wheel Drive	<b>MR</b>	Medium Roof
<b>Std Bed</b>	Standard Bed	<b>RWD</b>	Rear-Wheel Drive	<b>HR</b>	High Roof
<b>LB</b>	Longbed	<b>2WD</b>	Two-Wheel Drive	<b>EHR</b>	Extra-High Roof
<b>CV</b>	Cargo Van	<b>4WD</b>	Four-Wheel Drive		

## ENGINE

<b>TD</b>	Turbo Diesel
<b>TC</b>	Turbocharged
<b>SC</b>	Supercharged

## GEAR RATIO

<b>b</b>	3.08:1	<b>h</b>	3.55:1
<b>c</b>	3.15:1	<b>i</b>	3.73:1
<b>d</b>	3.21:1	<b>j</b>	3.92:1
<b>e</b>	3.23:1	<b>k</b>	4.10:1
<b>f</b>	3.31:1	<b>l</b>	4.30:1
<b>g</b>	3.42:1		

<b>a</b>	automatic transmission	<b>p</b>	cooling or other accessory package required
<b>a6</b>	automatic transmission, six speeds	<b>t</b>	towing package required
<b>a8</b>	automatic transmission, eight speeds	<b>/</b>	either/or
<b>m</b>	manual transmission	<b>,</b>	more than one footnote applies
<b>m6</b>	manual transmission, six speeds		

## VEHICLE ENGINE TOW LIMIT (lbs.)

### ACURA

MDX	3.5L V-6	3,500
MDX SH AWD	3.5L V-6	3,500*

\*Towing capacity can be increased to 5,000 lbs. with dealer-installed accessory.

### AUDI

Q5	All	4,000
Q7	3.0L V-6	7,700 (t)

### BMW

X3	All	3,500
X4	All	3,500
X5	All	6,000
X6	All	6,000

## FIAT CHRYSLER AUTOMOBILES

### CHRYSLER

Chrysler Pacifica	3.6L V-6	3,600
-------------------	----------	-------

### DODGE

Dodge Durango RWD	3.6L V-6	6,200
Dodge Durango RWD	5.7L V-8	7,400
Dodge Durango AWD	3.6L V-6	6,200
Dodge Durango AWD	5.7L V-8	7,200
Dodge Grand Caravan	3.6L V-6	3,600 (t)
Dodge Journey FWD/AWD	3.6L V-6	2,500 (t)

### JEEP

Cherokee	All	2,000
Cherokee	3.2L V-6	4,500 (t)

## 2017 TOW RATINGS

Grand Cherokee 2WD	3.6L V-6	6,200
Grand Cherokee 2WD	3.0L V-6 TD	7,400
Grand Cherokee 4WD	3.6L V-6	6,200
Grand Cherokee 4WD	5.7L V-8	7,200
Grand Cherokee 4WD	3.0L V-6 TD	7,200
Grand Cherokee 4WD SRT	6.4L V-8	7,200
Renegade	2.4L TC	2,000
Wrangler (all)	3.6L V-6	2,000

### RAM

#### Ram 1500 Regular Cab Shortbed

1500 Reg Cab SB 2WD	3.6L V-6	4,970 (a8,d)
1500 Reg Cab SB 2WD	3.6L V-6	7,260 (a8,h)
1500 Reg Cab SB 2WD	5.7L V-8	7,170 (a6,d)
1500 Reg Cab SB 2WD	5.7L V-8	9,220 (a6h)
1500 Reg Cab SB 2WD	5.7L V-8	8,610 (a8,d)
1500 Reg Cab SB 2WD	5.7L V-8	9,160 (a8,j)
1500 Reg Cab SB 2WD R/T	5.7L V-8	5,030 (a8,j)
1500 Reg Cab SB 4WD	3.6L V-6	4,750 (a8,d)
1500 Reg Cab SB 4WD	3.6L V-6	7,050 (a8,h)
1500 Reg Cab SB 4WD	5.7L V-8	9,030 (a6,h)
1500 Reg Cab SB 4WD	5.7L V-8	8,960 (a6,j)
1500 Reg Cab SB 4WD	5.7L V-8	8,380 (a8,d)
1500 Reg Cab SB 4WD	5.7L V-8	8,930 (a8,j)

#### Ram 1500 Regular Cab Longbed

1500 Reg Cab LB 2WD	3.6L V-6	4,770 (a8,d)
1500 Reg Cab LB 2WD	3.6L V-6	7,270 (a8,h)
1500 Reg Cab LB 2WD	5.7L V-8	7,040 (a6,d)
1500 Reg Cab LB 2WD	5.7L V-8	9,090 (a6,h)
1500 Reg Cab LB 2WD	5.7L V-8	10,640 (a6,j)
1500 Reg Cab LB 2WD	5.7L V-8	8,470 (a8,d)
1500 Reg Cab LB 2WD	5.7L V-8	10,620 (a8,j)
1500 Reg Cab LB 2WD	3.0L V-6 TD	8,240 (a8,h/j)
1500 Reg Cab LB 2WD	3.0L V-6 TD	9,210 (a8,j)
1500 Reg Cab LB 4WD	3.6L V-6	4,580 (a8,d)
1500 Reg Cab LB 4WD	3.6L V-6	7,080 (a8,h)
1500 Reg Cab LB 4WD	5.7L V-8	8,860 (a6,h)
1500 Reg Cab LB 4WD	5.7L V-8	10,410 (a6,j)
1500 Reg Cab LB 4WD	5.7L V-8	8,260 (a8,d)
1500 Reg Cab LB 4WD	5.7L V-8	10,410 (a8,j)
1500 Reg Cab LB 4WD	3.0L V-6 TD	8,030 (a8,h/j)
1500 Reg Cab LB 4WD	3.0L V-6 TD	9,030 (a8,j)

#### Ram 1500 Quad Cab

Ram 1500 Quad Cab 2WD	3.6L V-6	4,610 (a8,d)
-----------------------	----------	--------------

Ram 1500 Quad Cab 2WD	3.6L V-6	7,600 (a8,h)
Ram 1500 Quad Cab 2WD	5.7L V-8	6,820 (a6,d)
Ram 1500 Quad Cab 2WD	5.7L V-8	8,870 (a6,h)
Ram 1500 Quad Cab 2WD	5.7L V-8	10,420 (a6,j)
Ram 1500 Quad Cab 2WD	5.7L V-8	8,190 (a8,d)
Ram 1500 Quad Cab 2WD	5.7L V-8	10,340 (a8,j)
Ram 1500 Quad Cab 2WD	3.0L V-6 TD	7,960 (a8,h/j)
Ram 1500 Quad Cab 2WD	3.0L V-6 TD	8,960 (a8,j)
Ram 1500 Quad Cab 2WD HFE	3.0L V-6 TD	7,920 (a8,h)
Ram 1500 Quad Cab 4WD	3.6L V-6	4,430 (a8,d)
Ram 1500 Quad Cab 4WD	3.6L V-6	7,420 (a8,h)
Ram 1500 Quad Cab 4WD	5.7L V-8	8,670 (a6,h)
Ram 1500 Quad Cab 4WD	5.7L V-8	10,220 (a6,j)
Ram 1500 Quad Cab 4WD	5.7L V-8	8,000 (a8,d)
Ram 1500 Quad Cab 4WD	5.7L V-8	10,150 (a8,j)
Ram 1500 Quad Cab 4WD	3.0L V-6 TD	7,650 (a8,h/j)
Ram 1500 Quad Cab 4WD	3.0L V-6 TD	8,650 (a8,j)

#### Ram 1500 Crew Cab 5'7" Bed

Ram 1500 CC 2WD	3.6L V-6	4,510 (a8,d)
Ram 1500 CC 2WD	3.6L V-6	7,510 (a8,h)
Ram 1500 CC 2WD	5.7L V-8	6,730 (a6,d)
Ram 1500 CC 2WD	5.7L V-8	8,780 (a6,h)
Ram 1500 CC 2WD	5.7L V-8	10,330 (a6,j)
Ram 1500 CC 2WD	5.7L V-8	8,070 (a8,d)
Ram 1500 CC 2WD	5.7L V-8	10,220 (a8,j)
Ram 1500 CC 2WD	3.0L V-6 TD	7,860 (a8,h/j)
Ram 1500 CC 2WD	3.0L V-6 TD	8,860 (a8,j)
Ram 1500 CC 4WD	3.6L V-6	4,210 (a8,d)
Ram 1500 CC 4WD	3.6L V-6	7,210 (a8,h/j)
Ram 1500 CC 4WD	5.7L V-8	8,610 (a6,h)
Ram 1500 CC 4WD	5.7L V-8	10,160 (a6,j)
Ram 1500 CC 4WD	5.7L V-8	7,990 (a8,d)
Ram 1500 CC 4WD	5.7L V-8	10,140 (a8,j)
Ram 1500 CC 4WD	3.0L V-6 TD	7,580 (a8,h/j)
Ram 1500 CC 4WD	3.0L V-6 TD	8,580 (a8,j)

#### Ram 1500 Crew Cab 6'4" Bed

Ram 1500 CC 2WD	5.7L V-8	6,710 (a6,d)
Ram 1500 CC 2WD	5.7L V-8	8,760 (a6,h)
Ram 1500 CC 2WD	5.7L V-8	10,310 (a6,j)
Ram 1500 CC 2WD	5.7L V-8	8,050 (a8,d)
Ram 1500 CC 2WD	5.7L V-8	10,200 (a8,j)
Ram 1500 CC 4WD	5.7L V-8	8,530 (a6,h)
Ram 1500 CC 4WD	5.7L V-8	10,080 (a6,j)
Ram 1500 CC 4WD	5.7L V-8	7,780 (a8,d)

Ram 1500 CC 4WD	5.7L V-8	9,830 (a8,i)
Ram 1500 CC 4WD	3.0L V-6 TD	7,540 (a8,h,i)
Ram 1500 CC 4WD	3.0L V-6 TD	8,340 (a8,j)

#### Ram 2500 Regular Cab Longbed

Ram 2500 Reg Cab LB 2WD	5.7L V-8	11,890 (a6,i)
Ram 2500 Reg Cab LB 2WD	5.7L V-8	13,890 (a6,k)
Ram 2500 Reg Cab LB 2WD	6.4L V-8	13,320 (a6,i)
Ram 2500 Reg Cab LB 2WD	6.4L V-8	16,320 (a6,k)
Ram 2500 Reg Cab LB 2WD	6.7L I-6 TD	16,890 (m6,g)
Ram 2500 Reg Cab LB 2WD	6.7L I-6 TD	17,980 (a6,g)
Ram 2500 Reg Cab LB 4WD	5.7L V-8	11,510 (a6,i)
Ram 2500 Reg Cab LB 4WD	5.7L V-8	13,510 (a6,k)
Ram 2500 Reg Cab LB 4WD	6.4L V-8	12,930 (a6,i)
Ram 2500 Reg Cab LB 4WD	6.4L V-8	15,930 (a6,k)
Ram 2500 Reg Cab LB 4WD	6.7L I-6 TD	16,450 (m6,g)
Ram 2500 Reg Cab LB 4WD	6.7L I-6 TD	17,540 (a6,g)

#### Ram 2500 Crew Cab Shortbed

Ram 2500 CC SB 2WD	5.7L V-8	11,520 (a6,i)
Ram 2500 CC SB 2WD	5.7L V-8	13,520 (a6,k)
Ram 2500 CC SB 2WD	6.4L V-8	12,940 (a6,i)
Ram 2500 CC SB 2WD	6.4L V-8	15,940 (a6,k)
Ram 2500 CC SB 2WD	6.7L I-6 TD	16,450 (m6,g)
Ram 2500 CC SB 2WD	6.7L I-6 TD	17,510 (a6,g)
Ram 2500 CC SB 4WD	5.7L V-8	11,200 (a6,i)
Ram 2500 CC SB 4WD	5.7L V-8	13,190 (a6,k)
Ram 2500 CC SB 4WD	6.4L V-8	12,630 (a6,i)
Ram 2500 CC SB 4WD	6.4L V-8	15,630 (a6,k)
Ram 2500 CC SB 4WD	6.7L I-6 TD	16,130 (m6,g)
Ram 2500 CC SB 4WD	6.7L I-6 TD	17,200 (a6,g)

#### Ram 2500 Crew Cab Longbed

Ram 2500 CC LB 2WD	5.7L V-8	11,390 (a6,i)
Ram 2500 CC LB 2WD	5.7L V-8	13,390 (a6,k)
Ram 2500 CC LB 2WD	6.4L V-8	12,810 (a6,i)
Ram 2500 CC LB 2WD	6.4L V-8	15,810 (a6,k)
Ram 2500 CC LB 2WD	6.7L I-6 TD	16,300 (m6,g)
Ram 2500 CC LB 2WD	6.7L I-6 TD	17,370 (a6,g)
Ram 2500 CC LB 4WD	5.7L V-8	11,030 (a6,i)
Ram 2500 CC LB 4WD	5.7L V-8	13,020 (a6,k)
Ram 2500 CC LB 4WD	6.4L V-8	12,460 (a6,i)
Ram 2500 CC LB 4WD	6.4L V-8	15,460 (a6,k)
Ram 2500 CC LB 4WD	6.7L I-6 TD	15,950 (m6,g)
Ram 2500 CC LB 4WD	6.7L I-6 TD	17,020 (a6,g)

#### Ram 2500 Mega Cab

Ram 2500 Mega Cab 2WD	5.7L V-8	11,040 (a6,i)
Ram 2500 Mega Cab 2WD	5.7L V-8	13,040 (a6,k)
Ram 2500 Mega Cab 2WD	6.4L V-8	12,520 (a6,i)
Ram 2500 Mega Cab 2WD	6.4L V-8	15,520 (a6,k)
Ram 2500 Mega Cab 2WD	6.7L I-6 TD	16,100 (m6,g)
Ram 2500 Mega Cab 2WD	6.7L I-6 TD	17,170 (a6,g)
Ram 2500 Mega Cab 4WD	5.7L V-8	10,780 (a6,i)
Ram 2500 Mega Cab 4WD	5.7L V-8	12,780 (a6,k)
Ram 2500 Mega Cab 4WD	6.4L V-8	12,240 (a6,i)
Ram 2500 Mega Cab 4WD	6.4L V-8	15,240 (a6,k)
Ram 2500 Mega Cab 4WD	6.7L I-6 TD	14,770 (m6,g)
Ram 2500 Mega Cab 4WD	6.7L I-6 TD	15,440 (a6,g)

#### Ram 3500 Regular Cab Longbed

Ram 3500 Reg Cab LB SRW 2WD	5.7L V-8	11,910 (a6,i)
Ram 3500 Reg Cab LB SRW 2WD	5.7L V-8	13,910 (a6,k)
Ram 3500 Reg Cab LB SRW 2WD	6.4L V-8	13,370 (a6,i)
Ram 3500 Reg Cab LB SRW 2WD	6.4L V-8	16,370 (a6,k)
Ram 3500 Reg Cab LB SRW 2WD	6.7L I-6 TD	16,870 (m6,g)
Ram 3500 Reg Cab LB SRW 2WD	6.7L I-6 TD	17,910 (a6,g)
Ram 3500 Reg Cab LB SRW 2WD	6.7L I-6 TD	17,770 (a6,g)*
Ram 3500 Reg Cab LB SRW 4WD	5.7L V-8	11,560 (a6,i)
Ram 3500 Reg Cab LB SRW 4WD	5.7L V-8	13,560 (a6,k)
Ram 3500 Reg Cab LB SRW 4WD	6.4L V-8	12,970 (a6,i)
Ram 3500 Reg Cab LB SRW 4WD	6.4L V-8	15,970 (a6,k)
Ram 3500 Reg Cab LB SRW 4WD	6.7L I-6 TD	16,520 (m6,g)
Ram 3500 Reg Cab LB SRW 4WD	6.7L I-6 TD	17,560 (a6,g)
Ram 3500 Reg Cab LB SRW 4WD	6.7L I-6 TD	17,420 (a6,g)*
Ram 3500 Reg Cab LB DRW 2WD	6.4L V-8	13,020 (a6,i)
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	16,510 (m6,g)
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	18,510 (m6,i)
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	17,550 (a6,g)
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	19,550 (a6,i)
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	22,550 (a6,k)
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	21,410 (a6,g)*
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	25,910 (a6,i)*
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	31,210 (a6,k)*
Ram 3500 Reg Cab LB DRW 4WD	6.4L V-8	12,640 (a6,i)
Ram 3500 Reg Cab LB DRW 4WD	6.4L V-8	16,140 (a6,k)
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	16,130 (m6,g)
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	18,130 (m6,i)
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	17,180 (a6,g)
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	19,180 (a6,i)
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	22,180 (a6,k)
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	21,030 (a6,g)*

## 2017 TOW RATINGS

Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	25,530 (a6,i)*
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	30,830 (a6,k)*

\*HO Cummins

### Ram 3500 Crew Cab Shortbed

Ram 3500 CC SB SRW 2WD	5.7L V-8	11,520 (a6,i)
Ram 3500 CC SB SRW 2WD	5.7L V-8	13,520 (a6,k)
Ram 3500 CC SB SRW 2WD	6.4L V-8	12,970 (a6,i)
Ram 3500 CC SB SRW 2WD	6.4L V-8	15,970 (a6,k)
Ram 3500 CC SB SRW 2WD	6.7L I-6 TD	16,450 (m6,g)
Ram 3500 CC SB SRW 2WD	6.7L I-6 TD	17,490 (a6,g)
Ram 3500 CC SB SRW 2WD	6.7L I-6 TD	17,350 (a6,g)*
Ram 3500 CC SB SRW 4WD	5.7L V-8	11,200 (a6,i)
Ram 3500 CC SB SRW 4WD	5.7L V-8	13,200 (a6,k)
Ram 3500 CC SB SRW 4WD	6.4L V-8	12,640 (a6,i)
Ram 3500 CC SB SRW 4WD	6.4L V-8	15,640 (a6,k)
Ram 3500 CC SB SRW 4WD	6.7L I-6 TD	16,160 (m6,g)
Ram 3500 CC SB SRW 4WD	6.7L I-6 TD	17,200 (a6,g)
Ram 3500 CC SB SRW 4WD	6.7L I-6 TD	17,050 (a6,g)*

\*HO Cummins

### Ram 3500 Crew Cab Longbed

Ram 3500 CC LB SRW 2WD	5.7L V-8	11,410 (a6,i)
Ram 3500 CC LB SRW 2WD	5.7L V-8	13,410 (a6,k)
Ram 3500 CC LB SRW 2WD	6.4L V-8	12,830 (a6,i)
Ram 3500 CC LB SRW 2WD	6.4L V-8	15,830 (a6,k)
Ram 3500 CC LB SRW 2WD	6.7L I-6 TD	16,320 (m6,g)
Ram 3500 CC LB SRW 2WD	6.7L I-6 TD	17,360 (a6,g)
Ram 3500 CC LB SRW 2WD	6.7L I-6 TD	17,210 (a6,g)*
Ram 3500 CC LB SRW 4WD	5.7L V-8	11,020 (a6,i)
Ram 3500 CC LB SRW 4WD	5.7L V-8	13,020 (a6,k)
Ram 3500 CC LB SRW 4WD	6.4L V-8	12,470 (a6,i)
Ram 3500 CC LB SRW 4WD	6.4L V-8	15,470 (a6,k)
Ram 3500 CC LB SRW 4WD	6.7L I-6 TD	15,960 (m6,g)
Ram 3500 CC LB SRW 4WD	6.7L I-6 TD	17,010 (a6,g)
Ram 3500 CC LB SRW 4WD	6.7L I-6 TD	16,860 (a6,g)*
Ram 3500 CC LB DRW 2WD	6.4L V-8	12,450 (a6,i)
Ram 3500 CC LB DRW 2WD	6.4L V-8	15,950 (a6,k)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	15,960 (m6,g)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	17,960 (m6,i)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	17,000 (a6,g)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	19,000 (a6,i)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	22,000 (a6,k)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	20,860 (a6,g)*
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	25,360 (a6,i)*
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	30,660 (a6,k)*
Ram 3500 CC LB DRW 4WD	6.4L V-8	12,100 (a6,i)

Ram 3500 CC LB DRW 4WD	6.4L V-8	15,600 (a6,k)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	15,620 (m6,g)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	17,620 (m6,i)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	16,660 (a6,g)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	18,660 (a6,i)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	21,660 (a6,k)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	20,520 (a6,g)*
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	25,020 (a6,i)*
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	30,320 (a6,k)*

\*HO Cummins

### Ram 3500 Mega Cab

Ram 3500 Mega Cab SRW 2WD	5.7L V-8	11,210 (a6,i)
Ram 3500 Mega Cab SRW 2WD	5.7L V-8	13,210 (a6,k)
Ram 3500 Mega Cab SRW 2WD	6.4L V-8	12,650 (a6,i)
Ram 3500 Mega Cab SRW 2WD	6.4L V-8	15,650 (a6,k)
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	16,100 (m6,g)
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	17,140 (a6,g)
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	16,990 (a6,g)*
Ram 3500 Mega Cab SRW 4WD	5.7L V-8	10,880 (a6,i)
Ram 3500 Mega Cab SRW 4WD	5.7L V-8	12,880 (a6,k)
Ram 3500 Mega Cab SRW 4WD	6.4L V-8	12,320 (a6,i)
Ram 3500 Mega Cab SRW 4WD	6.4L V-8	15,320 (a6,k)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	15,710 (m6,g)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	16,750 (a6,g)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	16,600 (a6,g)*
Ram 3500 Mega Cab DRW 2WD	6.4L V-8	12,200 (a6,i)
Ram 3500 Mega Cab DRW 2WD	6.4L V-8	15,700 (a6,k)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	15,710 (m6,g)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	17,710 (m6,i)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	16,750 (a6,g)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	18,750 (a6,i)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	21,750 (a6,k)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	20,600 (a6,g)*
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	25,100 (a6,i)*
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	30,400 (a6,k)*
Ram 3500 Mega Cab DRW 4WD	6.4L V-8	11,970 (a6,i)
Ram 3500 Mega Cab DRW 4WD	6.4L V-8	15,470 (a6,k)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	15,400 (m6,g)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	17,400 (m6,i)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	16,440 (a6,g)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	18,440 (a6,i)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	21,440 (a6,k)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	20,300 (a6,g)*
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	24,800 (a6,i)*
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	30,100 (a6,k)*

\*HO Cummins



## FORD MOTOR COMPANY

### EDGE, ESCAPE, EXPLORER, EXPEDITION, FLEX

Edge FWD/AWD	2.0L TC	3,500 (t)
Edge FWD/AWD	3.5L V-6	3,500 (t)
Edge FWD/AWD	2.7L TC	2,000
Escape FWD/AWD	1.5L TC	2,000
Escape FWD/AWD	2.0L TC	3,500 (t)
Explorer FWD/4WD	2.3L TC	2,000
Explorer FWD/4WD	2.3L TC	3,000 (t)
Explorer FWD/4WD	3.5L V-6	2,000
Explorer FWD/4WD	3.5L V-6	5,000 (t)
Explorer FWD/4WD	3.5L V-6 TC	5,000 (t)
Expedition 2WD	3.5L V-6 TC	6,600
Expedition 2WD	3.5L V-6 TC	9,200 (t)
Expedition 4WD	3.5L V-6 TC	6,600
Expedition 4WD	3.5L V-6 TC	9,300 (t)
Expedition EL 2WD	3.5L V-6 TC	6,600
Expedition EL 2WD	3.5L V-6 TC	9,200 (t)
Expedition EL 4WD	3.5L V-6 TC	6,700
Expedition EL 4WD	3.5L V-6 TC	9,200 (t)
Flex	All	4,500 (t)

### F-150 CONVENTIONAL/FIFTH-WHEEL TOWING

#### F-150 Regular Cab

F-150 Reg Cab SB 2WD	3.5L V-6	5,000/4,900 (h)
F-150 Reg Cab SB 2WD	3.5L V-6	7,600/7,500 (i)
F-150 Reg Cab SB 2WD	2.7L V-6 TC	7,600/7,500 (c/f)
F-150 Reg Cab SB 2WD	2.7L V-6 TC	8,500/8,400 (i)
F-150 Reg Cab SB 2WD	5.0L V-8	8,300/8,200 (f)
F-150 Reg Cab SB 2WD	5.0L V-8	9,100/9,000 (h)
F-150 Reg Cab SB 4WD	3.5L V-6	5,000/4,900 (h)
F-150 Reg Cab SB 4WD	3.5L V-6	7,500/7,400 (i)
F-150 Reg Cab SB 4WD	2.7L V-6 TC	7,700/7,600 (h)
F-150 Reg Cab SB 4WD	2.7L V-6 TC	8,500/7,700 (i)
F-150 Reg Cab SB 4WD	5.0L V-8	8,300/8,200 (f/h)
F-150 Reg Cab SB 4WD	5.0L V-8	9,600/9,000 (i)
F-150 Reg Cab LB 2WD	3.5L V-6	5,000/4,900 (h)
F-150 Reg Cab LB 2WD	3.5L V-6	7,600/7,500 (i)
F-150 Reg Cab LB 2WD	2.7L V-6 TC	7,600/7,500 (f)
F-150 Reg Cab LB 2WD	2.7L V-6 TC	8,400/8,300 (i)
F-150 Reg Cab LB 2WD	2.7L V-6 TC	8,500/8,400 (i,p)
F-150 Reg Cab LB 2WD	5.0L V-8	9,000/8,900 (f)
F-150 Reg Cab LB 2WD	5.0L V-8	10,000/9,900 (h)
F-150 Reg Cab LB 2WD	5.0L V-8	11,000/10,900 (i)*
F-150 Reg Cab LB 2WD	3.5L V-6 TC	10,700/10,600 (c)

F-150 Reg Cab LB 2WD	3.5L V-6 TC	12,200/12,100 (h,t)
F-150 Reg Cab LB 2WD	3.5L V-6 TC	12,100/12,000 (i,t)*
F-150 Reg Cab LB 4WD	3.5L V-6	7,400/7,300 (i)
F-150 Reg Cab LB 4WD	2.7L V-6 TC	7,600/7,500 (h)
F-150 Reg Cab LB 4WD	2.7L V-6 TC	8,400/8,300 (i,p)
F-150 Reg Cab LB 4WD	5.0L V-8	9,000/8,900 f/h
F-150 Reg Cab LB 4WD	5.0L V-8	10,900/10,800 (i,p)*
F-150 Reg Cab LB 4WD	5.0L V-8	11,000/10,800 (i,p)*
F-150 Reg Cab LB 4WD	3.5L V-6 TC	10,700/10,600 (f/h)
F-150 Reg Cab LB 4WD	3.5L V-6 TC	12,000/11,900 (h,t)
F-150 Reg Cab LB 4WD	3.5L V-6 TC	11,900/11,700 (i,t)*

#### F-150 SuperCab

F-150 SuperCab Std Bed 2WD	3.5L V-6	5,000/4,900 (h)
F-150 SuperCab Std Bed 2WD	3.5L V-6	7,400/7,300 (i)
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	7,600/7,500 (f)
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	8,200/7,900 (i)
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	8,300/8200 (i,p)
F-150 SuperCab Std Bed 2WD Sport	5.0L V-8	6,900/6,800 (f)
F-150 SuperCab Std Bed 2WD	5.0L V-8	9,000/9,100 (f)
F-150 SuperCab Std Bed 2WD Sport	5.0L V-8	8,400/8,300 (h)
F-150 SuperCab Std Bed 2WD	5.0L V-8	10,100/10,000 (h)
F-150 SuperCab Std Bed 2WD	3.5L V-6 TC	10,700/10,600 (c)
F-150 SuperCab Std Bed 2WD	3.5L V-6 TC	12,000/10,700 (h,t)
F-150 SuperCab Std Bed 4WD	3.5L V-6	7,200/7,000 (i)
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	7,500/7,400 (h)
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	8,100/7,900 (i,p)
F-150 SuperCab Std Bed 4WD	5.0L V-8	9,000/8,900 (f/h)
F-150 SuperCab Std Bed 4WD Sport	5.0L V-8	8,100/8,200 (h)
F-150 SuperCab Std Bed 4WD Sport	5.0L V-8	8,500/8,600 (i)
F-150 SuperCab Std Bed 4WD	5.0L V-8	10,900/10,300 (i)
F-150 SuperCab Std Bed 4WD	3.5L V-6 TC	10,700/10,500 (f/h)
F-150 SuperCab Std Bed 4WD	3.5L V-6 TC	10,500/11,800 (h,t)
F-150 SuperCab LB 2WD	2.7L V-6 TC	7,500/7,400 (c/f)
F-150 SuperCab LB 2WD	2.7L V-6 TC	8,000/7,600 (i)
F-150 SuperCab LB 2WD	2.7L V-6 TC	8,100/8,200 (i,p)*
F-150 SuperCab LB 2WD	5.0L V-8	9,100/9,000 (f)
F-150 SuperCab LB 2WD	5.0L V-8	10,100/10,000 (h)
F-150 SuperCab LB 2WD	5.0L V-8	10,800 (i,p)*
F-150 SuperCab LB 2WD	3.5L V-6 TC	10,700/10,600 (c)
F-150 SuperCab LB 2WD	3.5L V-6 TC	11,900/11,700 (h,t)
F-150 SuperCab LB 2WD	3.5L V-6 TC	11,800/11,700 (i,p,t)*
F-150 SuperCab LB 4WD	5.0L V-8	8,800/8,700 (f)
F-150 SuperCab LB 4WD	5.0L V-8	9,000/8,900 (h)
F-150 SuperCab LB 4WD	5.0L V-8	10,700/10,500 (i,p)*

## 2017 TOW RATINGS

F-150 SuperCab LB 4WD	3.5L V-6 TC	10,700/10,000 (f/h)
F-150 SuperCab LB 4WD	3.5L V-6 TC	11,600/10,000 (h,t,p)
F-150 SuperCab LB 4WD	3.5L V-6 TC	11,500 (i,p,t)*

### F-150 SuperCrew

F-150 SuperCrew SB 2WD	3.5L V-6	5,000/4,900 (h)
F-150 SuperCrew SB 2WD	3.5L V-6	7,300/7,200 (i)
F-150 SuperCrew SB 2WD	2.7L V-6 TC	7,600/7,500 (f)
F-150 SuperCrew SB 2WD	2.7L V-6 TC	8,200/8,100 (i,p)
F-150 SuperCrew SB 2WD Sport	5.0L V-8	6,900/6,700 (f)
F-150 SuperCrew SB 2WD	5.0L V-8	9,100/8,900 (f)
F-150 SuperCrew SB 2WD Sport	5.0L V-8	8,400/8,200 (h)
F-150 SuperCrew SB 2WD	5.0L V-8	10,10/9,900 (h)
F-150 SuperCrew SB 2WD Limited	3.5L V-6 TC	10,700/10,400 (c)
F-150 SuperCrew SB 2WD Limited	3.5L V-6 TC	11,200/8,700 (h)
F-150 SuperCrew SB 2WD	3.5L V-6 TC	11,900/10,400 (h,t)
F-150 SuperCrew SB 4WD	3.5L V-6	7,100/7,000 (i)
F-150 SuperCrew SB 4WD	2.7L V-6 TC	7,600/7,300 (h)
F-150 SuperCrew SB 4WD	2.7L V-6 TC	8,100/7,900 (i,p)
F-150 SuperCrew SB 4WD	5.0L V-8	8,900/8,800 (f)
F-150 SuperCrew SB 4WD Sport	5.0L V-8	8,100/8,000 (h)
F-150 SuperCrew SB 4WD	5.0L V-8	9,000/8,900 (h)
F-150 SuperCrew SB 4WD Sport	5.0L V-8	8,600/8,500 (i)
F-150 SuperCrew SB 4WD	5.0L V-8	10,800/10,000 (i)
F-150 SuperCrew SB 4WD	3.5L V-6 TC	10,700/10,200 (f/h)
F-150 SuperCrew SB 4WD	3.5L V-6 TC	11,500/10,200 (h,t)
F-150 SuperCrew Std Bed 2WD	2.7L V-6 TC	7,600/7,500 (i)
F-150 SuperCrew Std Bed 2WD	2.7L V-6 TC	8,200/8,100 (h,p)
F-150 SuperCrew Std Bed 2WD Sport	5.0L V-8	6,800/6,700 (f)
F-150 SuperCrew Std Bed 2WD	5.0L V-8	9,000/8,900 (f)
F-150 SuperCrew Std Bed 2WD Sport	5.0L V-8	8,300/8,200 (h)
F-150 SuperCrew Std Bed 2WD	5.0L V-8	10,000/9,900 (h)
F-150 SuperCrew Std Bed 2WD	5.0L V-8	10,800/10,700 (i,p)*
F-150 SuperCrew Std Bed 2WD	3.5L V-6 TC	10,600/10,200 (c)
F-150 SuperCrew Std Bed 2WD	3.5L V-6 TC	11,800/10,200 (h,t)
F-150 SuperCrew Std Bed 2WD	3.5L V-6 TC	11,700 (i,p,t)*
F-150 SuperCrew Std Bed 4WD	5.0L V-8	8,900/8,800 (f)
F-150 SuperCrew Std Bed 4WD Sport	5.0L V-8	8,100/8,000 (h)
F-150 SuperCrew Std Bed 4WD	5.0L V-8	9,000/8,900 (h)
F-150 SuperCrew Std Bed 4WD Sport	5.0L V-8	8,500/8,400 (i)
F-150 SuperCrew Std Bed 4WD	5.0L V-8	10,800/10,500 (i,t)
F-150 SuperCrew Std Bed 4WD	5.0L V-8	10,600/10,500 (i)*
F-150 SuperCrew Std Bed 4WD	3.5L V-6 TC	10,700/10,400 (f/h)
F-150 SuperCrew Std Bed 4WD	3.5L V-6 TC	11,700/10,400 (h)

F-150 SuperCrew Std Bed 4WD	3.5L V-6 TC	11,500/11,400 (i,t)*
-----------------------------	-------------	----------------------

\*Includes 17- and/or 18-inch wheels/tires. Higher of the two ratings shown, where applicable. Manufacturer's note: SuperCrew shortbed trucks will accept a fifth-wheel hitch, but current fifth-wheel designs are not compatible with this model.

F-150 ratings may vary slightly depending on wheel and tire package, GCWR and other factors. Certain powertrain/axle combinations may not be available in all states. Consult Ford's 2017 RV & Trailer Towing Guide or dealer for details.

### F-250 CONVENTIONAL TOWING

#### WEIGHT-CARRYING/WEIGHT-DISTRIBUTING

#### F-250 Regular Cab

F-250 Reg Cab LB 2WD	6.2L V-8	13,000/13,300 (i)
F-250 Reg Cab LB 2WD	6.2L V-8	13,000/14,000 (l)
F-250 Reg Cab LB 2WD	6.7L V-8 TD	14,000/15,000 (f/h)*
F-250 Reg Cab LB 4WD	6.2L V-8	12,900 (i)
F-250 Reg Cab LB 4WD	6.2L V-8	15,000 (l)
F-250 Reg Cab LB 4WD	6.7L V-8 TD	14,000/15,000 (f/h)*

#### F-250 SuperCab

F-250 SuperCab SB 2WD	6.2L V-8	13,000 (i)
F-250 SuperCab SB 2WD	6.2L V-8	13,000/14,000 (l)
F-250 SuperCab SB 2WD	6.7L V-8 TD	14,000/15,000 (f/h)*
F-250 SuperCab SB 4WD	6.2L V-8	12,600 (i)
F-250 SuperCab SB 4WD	6.2L V-8	15,000 (l)
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,000/14,800 (f/h) <sup>5</sup>
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,000/15,000 (f/h)*
F-250 SuperCab LB 2WD	6.2L V-8	12,900 (i)
F-250 SuperCab LB 2WD	6.2L V-8	14,000/15,000 (l)
F-250 SuperCab LB 2WD	6.7L V-8 TD	15,000 (f/h)*
F-250 SuperCab LB 4WD	6.2L V-8	12,500 (i)
F-250 SuperCab LB 4WD	6.2L V-8	15,000 (l)
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,200 (f/h) <sup>4</sup>
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,900 (f/h) <sup>5</sup>
F-250 SuperCab LB 4WD	6.7L V-8 TD	15,000 (f/h,t) <sup>7</sup>

#### F-250 Crew Cab

F-250 CC SB 2WD	6.2L V-8	12,900 (i)
F-250 CC SB 2WD	6.2L V-8	14,000/15,000 (l)
F-250 CC SB 2WD	6.7L V-8 TD	15,000 (f/h)*
F-250 CC SB 4WD	6.2L V-8	12,500 (i)
F-250 CC SB 4WD	6.2L V-8	15,000 (l)
F-250 CC SB 4WD	6.7L V-8 TD	14,100 (f/h) <sup>3</sup>
F-250 CC SB 4WD	6.7L V-8 TD	14,700 (f/h) <sup>5</sup>
F-250 CC SB 4WD	6.7L V-8 TD	15,000 (f/h,t) <sup>9</sup>
F-250 CC LB 2WD	6.2L V-8	12,700 (i)
F-250 CC LB 2WD	6.2L V-8	14,000/15,000 (l)
F-250 CC LB 2WD	6.7L V-8 TD	15,000 (f/h)
F-250 CC LB 2WD	6.7L V-8 TD	18,000 (f/h,t) <sup>9</sup>

F-250 CC LB 4WD	6.2L V-8	12,300 (i)
F-250 CC LB 4WD	6.2L V-8	14,800 (i)
F-250 CC LB 4WD	6.7L V-8 TD	12,600 (f/h) <sup>1</sup>
F-250 CC LB 4WD	6.7L V-8 TD	13,300 (f/h) <sup>2</sup>
F-250 CC LB 4WD	6.7L V-8 TD	17,600 (f/h,t)

\*May require tow package depending on GCWR selected. Consult Ford's 2017 RV & Trailer Towing Guide or dealer for details.

GCWR exceptions (lbs.): <sup>1</sup>20,600. <sup>2</sup>21,300. <sup>3</sup>21,900. <sup>4</sup>22,000. <sup>5</sup>22,500. <sup>6</sup>22,700. <sup>7</sup>25,200. <sup>8</sup>25,700.

## F-250 FIFTH-WHEEL TOWING

### F-250 Regular Cab

F-250 Reg Cab LB 2WD	6.2L V-8	13,200 (i)
F-250 Reg Cab LB 2WD	6.2L V-8	15,700 (i)
F-250 Reg Cab LB 2WD	6.7L V-8 TD	16,400 (f/h)
F-250 Reg Cab LB 2WD	6.7L V-8 TD	18,500 (f/h,t)
F-250 Reg Cab LB 4WD	6.2L V-8	12,800 (i)
F-250 Reg Cab LB 4WD	6.2L V-8	15,300 (i)
F-250 Reg Cab LB 4WD	6.7L V-8 TD	16,000 (f/h)
F-250 Reg Cab LB 4WD	6.7L V-8 TD	16,500 (f/h,t)

### F-250 SuperCab

F-250 SuperCab SB 2WD	6.2L V-8	13,000 (i)
F-250 SuperCab SB 2WD	6.2L V-8	15,500 (i)
F-250 SuperCab SB 2WD	6.7L V-8 TD	16,200 (f/h)
F-250 SuperCab SB 2WD	6.7L V-8 TD	17,400 (f/h,t)
F-250 SuperCab SB 4WD	6.2L V-8	12,600 (i)
F-250 SuperCab SB 4WD	6.2L V-8	15,100 (i)
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,800 (f/h)
F-250 SuperCab SB 4WD	6.7L V-8 TD	15,400 (f/h)
F-250 SuperCab LB 2WD	6.2L V-8	12,900 (i)
F-250 SuperCab LB 2WD	6.2L V-8	15,400 (i)
F-250 SuperCab LB 2WD	6.7L V-8 TD	16,100 (f/h)
F-250 SuperCab LB 2WD	6.7L V-8 TD	17,000 (f/h,t)
F-250 SuperCab LB 4WD	6.2L V-8	12,500 (i)
F-250 SuperCab LB 4WD	6.2L V-8	15,500 (i)
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,200 (f/h,t) <sup>4</sup>
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,900 (f/h) <sup>6</sup>

### F-250 Crew Cab

F-250 CC SB 2WD	6.2L V-8	12,900 (i)
F-250 CC SB 2WD	6.2L V-8	15,400 (i)
F-250 CC SB 2WD	6.7L V-8 TD	16,100 (f/h)
F-250 CC SB 2WD	6.7L V-8 TD	16,800 (f/h,t)
F-250 CC SB 4WD	6.2L V-8	12,500 (i)
F-250 CC SB 4WD	6.2L V-8	15,000 (i)
F-250 CC SB 4WD	6.7L V-8 TD	14,000 (f/h,t) <sup>3</sup>

F-250 CC SB 4WD	6.7L V-8 TD	14,700 (f/h) <sup>5</sup>
F-250 CC LB 2WD	6.2L V-8	12,600 (i)
F-250 CC LB 2WD	6.2L V-8	15,100 (i)
F-250 CC LB 2WD	6.7L V-8 TD	15,100 (f/h,t) <sup>7</sup>
F-250 CC LB 2WD	6.7L V-8 TD	15,800 (f/h) <sup>8</sup>
F-250 CC LB 4WD	6.2L V-8	12,200 (i)
F-250 CC LB 4WD	6.2L V-8	14,700 (i)
F-250 CC LB 4WD	6.7L V-8 TD	12,500 (f/h,t) <sup>1</sup>
F-250 CC LB 4WD	6.7L V-8 TD	13,200 (f/h) <sup>2</sup>

GCWR exceptions (lbs.): <sup>1</sup>20,700. <sup>2</sup>21,300. <sup>3</sup>22,100. <sup>4</sup>22,400. <sup>5</sup>22,500. <sup>6</sup>22,700. <sup>7</sup>23,100. <sup>8</sup>23,500.

## F-350 SRW CONVENTIONAL TOWING

### WEIGHT-CARRYING/WEIGHT-DISTRIBUTING

#### F-350 Regular Cab

F-350 Reg Cab 2WD	6.2L V-8	13,000/13,100 (i)
F-350 Reg Cab 2WD	6.2L V-8	13,000/14,000 (i)
F-350 Reg Cab 2WD	6.7L V-8 TD	14,000/15,000 (f/h)
F-350 Reg Cab 4WD	6.2L V-8	12,600 (i)
F-350 Reg Cab 4WD	6.2L V-8	15,000 (i)
F-350 Reg Cab 4WD	6.7L V-8 TD	14,000/15,000 (f/h)

#### F-350 SuperCab

F-350 SuperCab SB 2WD	6.2L V-8	12,900 (i)
F-350 SuperCab SB 2WD	6.2L V-8	13,000/14,000 (i)
F-350 SuperCab SB 2WD	6.7L V-8 TD	14,000/15,000 (f/h)
F-350 SuperCab SB 4WD	6.2L V-8	12,400 (i)
F-350 SuperCab SB 4WD	6.2L V-8	15,000 (i)
F-350 SuperCab SB 4WD	6.7L V-8 TD	14,000 (f/h)
F-350 SuperCab LB 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab LB 2WD	6.2L V-8	15,000 (i)
F-350 SuperCab LB 2WD	6.7L V-8 TD	15,000 (f/h)
F-350 SuperCab LB 4WD	6.2L V-8	12,300 (i)
F-350 SuperCab LB 4WD	6.2L V-8	15,000 (i)
F-350 SuperCab LB 4WD	6.7L V-8 TD	15,000 (f/h)

#### F-350 Crew Cab

F-350 CC SB 2WD	6.2L V-8	12,700 (i)
F-350 CC SB 2WD	6.2L V-8	15,000 (i)
F-350 CC SB 2WD	6.7L V-8 TD	15,000 (f/h)
F-350 CC SB 4WD	6.2L V-8	12,300 (i)
F-350 CC SB 4WD	6.2L V-8	15,000 (i)
F-350 CC SB 4WD	6.7L V-8 TD	13,600 (f/h,p) <sup>2</sup>
F-350 CC SB 4WD	6.7L V-8 TD	15,000 (f/h) <sup>6</sup>
F-350 CC LB 2WD	6.2L V-8	12,500 (i)
F-350 CC LB 2WD	6.2L V-8	15,000 (i)



## 2017 TOW RATINGS

F-350 CC LB 2WD	6.7L V-8 TD	14,800 (f/h,p) <sup>3</sup>
F-350 CC LB 2WD	6.7L V-8 TD	18,000 (f/h) <sup>5</sup>
F-350 CC LB 4WD	6.2L V-8	12,000 (i)
F-350 CC LB 4WD	6.2L V-8	15,000 (i)
F-350 CC LB 4WD	6.7L V-8 TD	12,000 (f/h,p) <sup>1</sup>
F-350 CC LB 4WD	6.7L V-8 TD	18,000 (f/h) <sup>4</sup>

GCWR exceptions (lbs.): <sup>1</sup>20,200, <sup>2</sup>21,600, <sup>3</sup>22,600, <sup>4</sup>28,200, <sup>5</sup>28,400, <sup>6</sup>28,600.

### F-350 SRW FIFTH-WHEEL TOWING

#### F-350 Regular Cab SRW

F-350 Reg Cab 2WD	6.2L V-8	13,000
F-350 Reg Cab 2WD	6.2L V-8	16,500 (i)
F-350 Reg Cab 2WD	6.7L V-8 TD	18,000 (f/h,p)
F-350 Reg Cab 4WD	6.2L V-8	12,600 (i)
F-350 Reg Cab 4WD	6.2L V-8	16,100 (i)
F-350 Reg Cab 4WD	6.7L V-8 TD	15,400 (f/h,p)

#### F-350 SuperCab SRW

F-350 SuperCab SB 2WD	6.2L V-8	12,800 (i)
F-350 SuperCab SB 2WD	6.2L V-8	16,300 (i)
F-350 SuperCab SB 2WD	6.7L V-8 TD	17,500 (f/h,p)
F-350 SuperCab SB 4WD	6.2L V-8	12,400 (i)
F-350 SuperCab SB 4WD	6.2L V-8	15,900 (i)
F-350 SuperCab SB 4WD	6.7L V-8 TD	14,700 (f/h,p) <sup>4</sup>
F-350 SuperCab LB 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab LB 2WD	6.2L V-8	16,200 (i)
F-350 SuperCab LB 2WD	6.7L V-8 TD	16,600 (f/h,p)
F-350 SuperCab LB 4WD	6.2L V-8	12,300 (i)
F-350 SuperCab LB 4WD	6.2L V-8	15,800 (i)
F-350 SuperCab LB 4WD	6.7L V-8 TD	13,900 (f/h,p) <sup>3</sup>

#### F-350 Crew Cab SRW

F-350 CC SB 2WD	6.2L V-8	12,700 (i)
F-350 CC SB 2WD	6.2L V-8	16,200 (i)
F-350 CC SB 2WD	6.7L V-8 TD	16,300 (f/h,p)
F-350 CC SB 2WD	6.7L V-8 TD	18,000 (f/h) <sup>8</sup>
F-350 CC SB 4WD	6.2L V-8	12,200 (i)
F-350 CC SB 4WD	6.2L V-8	15,700 (i)
F-350 CC SB 4WD	6.7L V-8 TD	13,600 (f/h,p) <sup>2</sup>
F-350 CC SB 4WD	6.7L V-8 TD	18,000 (f/h) <sup>8</sup>
F-350 CC LB 2WD	6.2L V-8	12,400 (i)
F-350 CC LB 2WD	6.2L V-8	15,900 (i)
F-350 CC LB 2WD	6.7L V-8 TD	14,800 (f/h,p) <sup>5</sup>
F-350 CC LB 2WD	6.7L V-8 TD	18,000 (f/h) <sup>7</sup>
F-350 CC LB 4WD	6.2L V-8	12,000 (i)
F-350 CC LB 4WD	6.2L V-8	15,500 (i)

F-350 CC LB 4WD	6.7L V-8 TD	12,000 (f/h,p) <sup>1</sup>
F-350 CC LB 4WD	6.7L V-8 TD	18,000 (f/h) <sup>6</sup>

GCWR exceptions (lbs.): <sup>1</sup>20,200, <sup>2</sup>21,600, <sup>3</sup>21,900, <sup>4</sup>22,500, <sup>5</sup>22,600, <sup>6</sup>28,200, <sup>7</sup>28,400, <sup>8</sup>28,600.

### F-350/F-450 DRW CONVENTIONAL TOWING WEIGHT-CARRYING/WEIGHT-DISTRIBUTING

#### F-350 Regular Cab DRW

F-350 Reg Cab DRW 2WD	6.2L V-8	13,200 (i)
F-350 Reg Cab DRW 2WD	6.2L V-8	16,700 (i)
F-350 Reg Cab DRW 2WD	6.7L V-8 TD	18,000/21,000 (h/k)
F-350 Reg Cab DRW 4WD	6.2L V-8	12,700 (i)
F-350 Reg Cab DRW 4WD	6.2L V-8	16,200 (i)
F-350 Reg Cab DRW 4WD	6.7L V-8 TD	18,000/20,000 (h/k)

#### F-350 SuperCab DRW

F-350 SuperCab LB DRW 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab LB DRW 2WD	6.2L V-8	16,200 (i)
F-350 SuperCab LB DRW 2WD	6.7L V-8 TD	18,000/21,000 (h/k)
F-350 SuperCab LB DRW 4WD	6.2L V-8	12,300 (i)
F-350 SuperCab LB DRW 4WD	6.2L V-8	15,800 (i)
F-350 SuperCab LB DRW 4WD	6.7L V-8 TD	19,000/21,000 (h/k)

#### F-350/F-450 Crew Cab DRW

F-350 CC LB DRW 2WD	6.2L V-8	12,500 (i)
F-350 CC LB DRW 2WD	6.2L V-8	16,000 (i)
F-350 CC LB DRW 2WD	6.7L V-8 TD	19,000/21,000 (h/k)
F-350 CC LB DRW 4WD	6.2L V-8	12,100 (i)
F-350 CC LB DRW 4WD	6.2L V-8	15,600 (i)
F-350 CC LB DRW 4WD	6.7L V-8 TD	21,000 (h/k)
F-450 CC LB DRW 4WD	6.7L V-8 TD	21,000 (i)

### F-350/F-450 DRW FIFTH-WHEEL TOWING

#### F-350 Regular Cab DRW

F-350 Reg Cab DRW 2WD	6.2L V-8	13,100 (i)
F-350 Reg Cab DRW 2WD	6.2L V-8	16,600 (i)
F-350 Reg Cab DRW 2WD	6.7L V-8 TD	27,500 (h/k)
F-350 Reg Cab DRW 4WD	6.2L V-8	12,700 (i)
F-350 Reg Cab DRW 4WD	6.2L V-8	16,200 (i)
F-350 Reg Cab DRW 4WD	6.7L V-8 TD	27,500 (h/k)

#### F-350 SuperCab DRW

F-350 SuperCab DRW LB 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab DRW LB 2WD	6.2L V-8	16,200 (i)
F-350 SuperCab DRW LB 2WD	6.7L V-8 TD	27,500 (h/k)
F-350 SuperCab DRW LB 4WD	6.2L V-8	12,300 (i)

F-350 SuperCab DRW LB 4WD	6.2L V-8	15,800 (l)
F-350 SuperCab DRW LB 4WD	6.7L V-8 TD	27,500 (h/k)

#### F-350/F-450 Crew Cab DRW

F-350 CC LB DRW 2WD	6.2L V-8	12,500 (i)
F-350 CC LB DRW 2WD	6.2L V-8	16,000 (l)
F-350 CC LB DRW 2WD	6.7L V-8 TD	27,500 (h/k)
F-350 CC LB DRW 4WD	6.2L V-8	12,100 (i)
F-350 CC LB DRW 4WD	6.2L V-8	15,600 (l)
F-350 CC LB DRW 4WD	6.7L V-8 TD	27,300 (h)
F-350 CC LB DRW 4WD	6.7L V-8 TD	27,500 (k)
F-450 CC LB DRW 4WD	6.7L V-8 TD	27,500 (l)

#### LINCOLN

MKC	All	3,000 (t)
MKT FWD/AWD	3.7L V-6	2,000
MKT AWD	3.5L V-6 TC	4,500 (t)
MKX	All	3,500
Navigator 2WD	3.5L V-6 TC	9,000 (t)
Navigator 4WD	3.5L V-6 TC	8,600 (t)
Navigator L 2WD	3.5L V-6 TC	8,500 (t)
Navigator L 4WD	3.5L V-6 TC	8,300 (t)

#### TRANSIT VAN

##### T-150/250 Regular Wheelbase

Transit T-150/250 RWB LR	3.7L V-6	5,400 (i)
Transit T-150/250 RWB LR	3.7L V-6	6,600 (k)
Transit T-150/250 RWB LR	3.5L V-6 TC	5,700 (f)
Transit T-150/250 RWB LR	3.5L V-6 TC	7,100 (i)
Transit T-150/250 RWB LR	3.2L I-5 TD	4,800 (f)
Transit T-150/250 RWB MR	3.7L V-6	5,200 (i)
Transit T-150/250 RWB MR	3.7L V-6	6,400 (k)
Transit T-150/250 RWB MR	3.5L V-6 TC	5,500 (f)
Transit T-150/250 RWB MR	3.5L V-6 TC	6,900 (i)
Transit T-150/250 RWB MR	3.2L I-5 TD	4,600 (f)

##### T-150/250 Long Wheelbase

Transit T-150/250 LWB LR	3.7L V-6	5,200 (i)
Transit T-150/250 LWB LR	3.7L V-6	6,400 (k)
Transit T-150/250 LWB LR	3.5L V-6 TC	5,600 (f)
Transit T-150/250 LWB LR	3.5L V-6 TC	7,000 (i)
Transit T-150/250 LWB LR	3.2L I-5 TD	4,600 (f)
Transit T-150/250 LWB LR	3.2L I-5 TD	7,500 (i)
Transit T-150/250 LWB MR	3.7L V-6	5,100 (i)
Transit T-150/250 LWB MR	3.7L V-6	6,300 (k)
Transit T-150/250 LWB MR	3.5L V-6 TC	5,400 (f)

Transit T-150/250 LWB MR	3.5L V-6 TC	6,800 (i)
Transit T-150/250 LWB MR	3.2L I-5 TD	4,500 (f)
Transit T-150/250 LWB MR	3.2L I-5 TD	7,400 (i)

##### T-250 Long Wheelbase

Transit T-250 LWB HR	3.7L V-6	6,200 (k)
Transit T-250 LWB HR	3.5L V-6 TC	5,300 (f)
Transit T-250 LWB HR	3.5L V-6 TC	6,700 (i)
Transit T-250 LWB HR	3.2L I-5 TD	4,400 (f)
Transit T-250 LWB HR	3.2L I-5 TD	7,300 (i)
Transit T-250 LWB EL HR	3.7L V-6	6,000 (k)
Transit T-250 LWB EL HR	3.5L V-6 TC	5,100 (f)
Transit T-250 LWB EL HR	3.5L V-6 TC	6,500 (i)
Transit T-250 LWB EL HR	3.2L I-5 TD	4,200 (f)
Transit T-250 LWB EL HR	3.2L I-5 TD	7,100 (i)

##### T-350 Long Wheelbase

Transit T-350 LWB LR	3.7L V-6	5,200 (i)
Transit T-350 LWB LR	3.7L V-6	6,400 (k)
Transit T-350 LWB LR	3.5L V-6 TC	5,600 (f)
Transit T-350 LWB LR	3.5L V-6 TC	7,000 (i)
Transit T-350 LWB MR	3.7L V-6	5,100 (i)
Transit T-350 LWB MR	3.7L V-6	6,300 (k)
Transit T-350 LWB MR	3.5L V-6 TC	5,400 (f)
Transit T-350 LWB MR	3.5L V-6 TC	6,800 (i)
Transit T-350 LWB HR	3.7L V-6	6,200 (k)
Transit T-350 LWB HR	3.5L V-6 TC	5,300 (f)
Transit T-350 LWB HR	3.5L V-6 TC	6,700 (i)
Transit T-350 LWB EL HR	3.7L V-6	6,000 (k)
Transit T-350 LWB EL HR	3.5L V-6 TC	5,100 (f)
Transit T-350 LWB EL HR	3.5L V-6 TC	6,500 (i)
Transit T-350 LWB EL HR	3.5L V-6 TC	6,700 (i)*
Transit T-350 LWB EL HR	3.2L I-5 TD	4,200 (f)
Transit T-350 LWB EL HR	3.2L I-5 TD	7,100 (i)

\*With 13,000-lb. GCWR

Transit Van ratings may vary slightly depending on seating capacity, GVWR and other factors. See dealer for details.

#### TRANSIT WAGON

##### T-150 Regular Wheelbase

Transit T-150 RWB LR	3.7L V-6	4,700 (i)
Transit T-150 RWB LR	3.7L V-6	5,100 (k)
Transit T-150 RWB LR	3.5L V-6 TC	5,100 (f/i)
Transit T-150 RWB MR	3.7L V-6	4,500 (i)
Transit T-150 RWB MR	3.7L V-6	4,900 (k)
Transit T-150 RWB MR	3.5L V-6 TC	4,900 (f/i)

# 2017 TOW RATINGS

## T-350 Long Wheelbase

Transit T-350 LWB LR	3.7L V-6	4,300 (i)
Transit T-350 LWB LR	3.7L V-6	4,700 (k)
Transit T-350 LWB LR	3.5L V-6 TC	4,600 (f/i)
Transit T-350 LWB LR	3.2L I-5 TD	3,800 (f)
Transit T-350 LWB LR	3.2L I-5 TD	4,400 (i)
Transit T-350 LWB MR	3.7L V-6	4,100 (i)
Transit T-350 LWB MR	3.7L V-6	4,500 (k)
Transit T-350 LWB MR	3.5L V-6 TC	4,500 (f/i)
Transit T-350 LWB MR	3.2L I-5 TD	3,600 (f)
Transit T-350 LWB MR	3.2L I-5 TD	4,200 (i)
Transit T-350 LWB HR	3.7L V-6	4,500 (k)
Transit T-350 LWB HR	3.5L V-6 TC	4,400 (f/i)
Transit T-350 LWB HR	3.2L I-5 TD	3,500 (f)
Transit T-350 LWB HR	3.2L I-5 TD	4,100 (i)
Transit T-350 LWB EL HR	3.5L V-6 TC	3,800 (f/i)
Transit T-350 LWB EL HR	3.2L I-5 TD	2,900 (f)
Transit T-350 LWB EL HR	3.2L I-5 TD	3,500 (i)

Transit Wagon ratings may vary slightly depending on seating capacity, GVWR and other factors. See dealer for details.

## GENERAL MOTORS

### BUICK

Enclave FWD	3.6L V-6	2,000
Enclave FWD	3.6L V-6	4,500 (t)
Enclave AWD	3.6L V-6	2,000
Enclave AWD	3.6L V-6	4,500 (t)

### CADILLAC

Escalade 2WD	6.2L V-8	8,300
Escalade 4WD	6.2L V-8	8,100
Escalade ESV 2WD	6.2L V-8	8,100
Escalade ESV 4WD	6.2L V-8	7,900
XT5 FWD/AWD	3.6L V-6	3,500

### CHEVROLET COLORADO/GMC CANYON

Colorado/Canyon Ext Cab	2.5L I-4	3,500
Colorado/Canyon Ext Cab	3.6L V-6	3,500
Colorado/Canyon Ext Cab	3.6L V-6	7,000 (t)
Colorado/Canyon CC SB	2.5L I-4	3,500
Colorado/Canyon CC SB	3.6L V-6	7,000 (t)
Colorado/Canyon CC SB 2WD	2.8L TD	7,700
Colorado/Canyon CC SB 4WD	2.8L TD	7,600
Colorado/Canyon CC Std Bed	3.6L V-6	3,500
Colorado/Canyon CC Std Bed	3.6L V-6	7,000 (t)
Colorado/Canyon CC Std Bed 2WD	2.8L TD	7,700
Colorado/Canyon CC Std Bed 4WD	2.8L TD	7,600

### CHEVROLET EQUINOX, TRAVERSE, GMC ACADIA, TERRAIN

Chevrolet Equinox/GMC Terrain (all)	3.6L V-6	3,500 (t)
Chevrolet Traverse FWD	3.6L V-6	2,000
Chevrolet Traverse FWD	3.6L V-6	5,200 (t)
Chevrolet Traverse AWD	3.6L V-6	2,000
Chevrolet Traverse AWD	3.6L V-6	5,200 (t)
GMC Acadia (all)	3.6L V-6	4,000 (t)

### CHEVROLET EXPRESS/GMC SAVANA

Express/Savana 2500 SWB CV*	4.8L V-8	7,400
Express/Savana 2500 SWB CV	6.0L V-8	10,000
Express/Savana 2500 LWB CV	4.8L V-8	7,200
Express/Savana 2500 LWB CV	6.0L V-8	10,000
Express/Savana 2500 SWB PV	6.0L V-8	6,700
Express/Savana 2500 SWB PV	6.0L V-8	9,800
Express/Savana 3500 SWB CV	4.8L V-8	7,400
Express/Savana 3500 SWB CV	6.0L V-8	10,000
Express/Savana 3500 SWB PV	6.0L V-8	9,700
Express/Savana 3500 LWB CV	4.8L V-8	7,100
Express/Savana 3500 LWB CV	6.0L V-8	10,000
Express/Savana 3500 LWB PV	6.0L V-8	9,300

\*Duramax engine no longer offered

2016 Express/Savana ratings. 2017 ratings not available at press time.

### CHEVROLET SILVERADO/GMC SIERRA 1500

#### 1500 Regular Cab

1500 Reg Cab Std Bed 2WD	4.3L V-6	6,000 (e)
1500 Reg Cab Std Bed 2WD	5.3L V-8	6,900 (b)
1500 Reg Cab Std Bed 2WD	5.3L V-8	8,900 (g)
1500 Reg Cab Std Bed 4WD	4.3L V-6	7,600 (g)
1500 Reg Cab Std Bed 4WD	5.3L V-8	6,600 (b)
1500 Reg Cab Std Bed 4WD	5.3L V-8	8,600 (g)
1500 Reg Cab LB 2WD	4.3L V-6	5,900 (e)
1500 Reg Cab LB 2WD	5.3L V-8	6,800 (b)
1500 Reg Cab LB 2WD	5.3L V-8	9,800 (g)
1500 Reg Cab LB 4WD	4.3L V-6	7,400 (g)
1500 Reg Cab LB 4WD	5.3L V-8	6,500 (b)
1500 Reg Cab LB 4WD	5.3L V-8	9,500 (g)

#### 1500 Double Cab

1500 DC 2WD	4.3L V-6	5,600 (g)
1500 DC 2WD	5.3L V-8	6,400 (b)
1500 DC 2WD	5.3L V-8	9,400 (g)
1500 DC 2WD	5.3L V-8	11,100 (g/i,t)
1500 DC 2WD	6.2L V-8	9,400 (e)
1500 DC 2WD	6.2L V-8	12,000 (g,t)
1500 DC 4WD	4.3L V-6	7,100 (g)

1500 DC 4WD	5.3L V-8	6,200 (b)
1500 DC 4WD	5.3L V-8	9,200 (g)
1500 DC 4WD	5.3L V-8	10,800 (g,t)
1500 DC 4WD	5.3L V-8	10,900 (i,t)
1500 DC 4WD	6.2L V-8	9,200 (g)
1500 DC 4WD	6.2L V-8	11,800 (g,t)

#### 1500 Crew Cab

1500 CC SB 2WD	4.3L V-6	5,500 (e)
1500 CC SB 2WD	5.3L V-8	6,400 (b)
1500 CC SB 2WD	5.3L V-8	9,400 (g)
1500 CC SB 2WD	5.3L V-8	11,000 (g,t)
1500 CC SB 2WD	6.2L V-8	9,300 (e)
1500 CC SB 2WD	6.2L V-8	12,000 (g,t)
1500 CC SB 4WD	4.3L V-6	7,000 (g)
1500 CC SB 4WD	5.3L V-8	6,100 (b)
1500 CC SB 4WD	5.3L V-8	9,100 (g)
1500 CC SB 4WD	5.3L V-8	10,700 (g,t)
1500 CC SB 4WD	6.2L V-8	9,100 (g)
1500 CC SB 4WD	6.2L V-8	11,700 (g,t)
1500 CC Std Bed 2WD	4.3L V-6	5,400 (e)
1500 CC Std Bed 2WD	5.3L V-8	6,300 (b)
1500 CC Std Bed 2WD	5.3L V-8	9,300 (g)
1500 CC Std Bed 2WD	5.3L V-8	10,900 (g,t)
1500 CC Std Bed 2WD	5.3L V-8	11,000 (i,t)
1500 CC Std Bed 2WD	6.2L V-8	9,300 (e)
1500 CC Std Bed 2WD	6.2L V-8	11,900 (g,t)
1500 CC Std Bed 4WD	4.3L V-6	7,000 (g)
1500 CC Std Bed 4WD	5.3L V-8	6,100 (b)
1500 CC Std Bed 4WD	5.3L V-8	9,100 (g)
1500 CC Std Bed 4WD	5.3L V-8	10,700 (g,t)
1500 CC Std Bed 4WD	5.3L V-8	10,800 (i,t)
1500 CC Std Bed 4WD	6.2L V-8	9,100 (e)
1500 CC Std Bed 4WD	6.2L V-8	11,700 (g,t)

2016 Silverado/Sierra 1500 ratings. 2017 ratings not available at press time.

#### CHEVROLET SILVERADO/GMC SIERRA 2500

##### CONVENTIONAL/FIFTH-WHEEL TOWING

###### 2500 Regular Cab

2500 Reg Cab LB 2WD	6.0L V-8	13,000/14,800 (k)
2500 Reg Cab LB 2WD	6.6L V-8 TD	13,000/17,900 (i)
2500 Reg Cab LB 4WD	6.0L V-8	13,000/14,500 (k)
2500 Reg Cab LB 4WD	6.6L V-8 TD	13,000/17,600 (i)

###### 2500 Double Cab

2500 DC Std Bed 2WD	6.0L V-8	13,000/14,500 (k)
---------------------	----------	-------------------

2500 DC Std Bed 2WD	6.6L V-8 TD	13,000/17,600 (i)
2500 DC Std Bed 2WD	6.0L V-8	13,000/14,200 (k)
2500 DC Std Bed 2WD	6.6L V-8 TD	13,000/17,300 (i)
2500 DC LB 2WD	6.0L V-8	13,000/14,400 (k)
2500 DC LB 2WD	6.6L V-8 TD	13,000/17,500 (i)
2500 DC LB 2WD	6.0L V-8	13,000/14,100 (k)
2500 DC LB 2WD	6.6L V-8 TD	13,000/17,200 (i)

#### 2500 Crew Cab

2500 CC Std Bed 2WD	6.0L V-8	9,800 (i)
2500 CC Std Bed 2WD	6.0L V-8	13,000/14,300 (k)
2500 CC Std Bed 2WD	6.6L V-8 TD	13,000/14,300 (i)
2500 CC Std Bed 2WD	6.0L V-8	9,500 (i)
2500 CC Std Bed 2WD	6.0L V-8	13,000/14,000 (k)
2500 CC Std Bed 2WD	6.6L V-8 TD	13,000/14,000 (i)

2016 Silverado/Sierra 2500 ratings. 2017 ratings not available at press time.

#### CHEVROLET SILVERADO/GMC SIERRA 3500

##### CONVENTIONAL/FIFTH-WHEEL TOWING

###### 3500 Regular Cab

3500 Reg Cab SRW 2WD	6.0L V-8	13,000/14,600 (k)
3500 Reg Cab SRW 4WD	6.0L V-8	14,100/14,300 (k)
3500 Reg Cab SRW 4WD	6.6L V-8 TD	13,000/17,500 (i)
3500 Reg Cab DRW 2WD	6.0L V-8	14,200 (k)
3500 Reg Cab DRW 4WD	6.0L V-8	13,900 (k)
3500 Reg Cab DRW 4WD	6.6L V-8 TD	16,000/23,200 (i)

###### 3500 Double Cab

3500 DC LB SRW 2WD	6.0L V-8	13,000/14,200 (k)
3500 DC LB SRW 2WD	6.6L V-8 TD	13,000/17,500 (i)
3500 DC LB SRW 2WD	6.0L V-8	13,000/13,900 (k)
3500 DC LB SRW 2WD	6.6L V-8 TD	13,000/17,200 (i)
3500 DC LB DRW 2WD	6.0L V-8	13,800 (k)
3500 DC LB DRW 2WD	6.6L V-8 TD	16,500/23,000 (i)
3500 DC LB DRW 2WD	6.0L V-8	13,500 (k)
3500 DC LB DRW 2WD	6.6L V-8 TD	18,000/22,800 (i)

###### 3500 Crew Cab

3500 CC Std Bed SRW 2WD	6.0L V-8	13,000/14,100 (k)
3500 CC Std Bed SRW 2WD	6.6L V-8 TD	13,000/17,400 (i)
3500 CC Std Bed SRW 4WD	6.0L V-8	13,000/13,900 (k)
3500 CC Std Bed SRW 4WD	6.6L V-8 TD	13,000/17,100 (i)
3500 CC LB SRW 2WD	6.0L V-8	13,000/14,000 (k)
3500 CC LB SRW 2WD	6.6L V-8 TD	13,000/17,300 (i)
3500 CC LB SRW 2WD	6.0L V-8	13,000/13,700 (k)

## 2017 TOW RATINGS

3500 CC LB SRW 2WD	6.6L V-8 TD	15,000/16,900 (i)
3500 CC LB DRW 2WD	6.0L V-8	13,700 (k)
3500 CC LB DRW 2WD	6.6L V-8 TD	16,500/22,900 (i)
3500 CC LB DRW 2WD	6.0L V-8	13,300 (k)
3500 CC LB DRW 2WD	6.6L V-8 TD	19,600/22,600 (i)

2016 Silverado/Sierra 3500 ratings. 2017 ratings not available at press time. Ratings for Sierra Denali HD models may vary slightly. See dealer for details.

### CHEVROLET SUBURBAN, TAHOE, GMC YUKON

Suburban/Yukon XL 2WD	5.3L V-8	6,300 (b)
Suburban/Yukon XL 2WD	5.3L V-8	8,300 (g)
Suburban/Yukon XL 4WD	5.3L V-8	6,000 (b)
Suburban/Yukon XL 4WD	5.3L V-8	8,000 (g)
Tahoe/Yukon 2WD	5.3L V-8	6,600/6,500 (b)
Tahoe/Yukon 2WD	5.3L V-8	8,600/8,500 (g)
Tahoe/Yukon 4WD	5.3L V-8	6,400/6,300 (b)
Tahoe/Yukon 4WD	5.3L V-8	8,400/8,200 (g)
Yukon Denali 2WD	6.2L V-8	8,400
Yukon Denali AWD	6.2L V-8	8,100
Yukon XL Denali 2WD	6.2L V-8	8,100
Yukon XL Denali AWD	6.2L V-8	7,900

2016 Suburban, Tahoe and Yukon ratings. 2017 ratings not available at press time.

### HONDA

Odyssey	3.5L V-6	3,500
Pilot 2WD	3.5L V-6	2,000
Pilot 4WD	3.5L V-6	4,500
Ridgeline 2WD	3.5L V-6	3,500
Ridgeline 4WD	3.5L V-6	5,000

2016 Odyssey and Pilot ratings. 2017 Ridgeline ratings.

### HYUNDAI

Santa Fe	3.3L V-6	5,000
Santa Fe Sport	2.4L I-4	2,000
Santa Fe Sport	2.0L I-4 TC	3,500

### INFINITI

QX60	3.5L V-6	5,000
QX70 AWD	3.7L V-6	2,000
QX80	5.6L V-8	8,500

2016 Infiniti ratings. 2017 ratings not available at press time.

### KIA

Sorento FWD/AWD	2.4L I-4	2,000
Sorento FWD/AWD	2.0L I-4 TC	3,500 (t)
Sorento FWD	3.3L V-6	3,500 (t)

Sorento AWD	3.3L V-6	5,000 (t)
Sportage FWD/AWD	All	2,000

### LAND ROVER

Discovery Sport	2.0L I-4 TC	3,500
Land Rover LR4	3.0L V-6 SC	7,716
Range Rover	All	7,716
Range Rover Sport	All	7,716

2016 Land Rover ratings. 2017 ratings not available at press time.

### LEXUS

RX 350	3.5L V-6	3,500
RX 450h AWD Hybrid	3.5L V-6	3,500
NX 200t	2.0L TC	2,000
GX 470	4.6L V-8	6,500
LX 570	5.7L V-8	7,000

### MAZDA

CX5	2.0L	2,000
CX9 (all)	3.7L V-6	3,500

2016 Mazda ratings. 2017 ratings not available at press time.

### MERCEDES-BENZ

G550	5.5L V-8	7,716
G63 AMG	5.5L V-8 TC	7,716
GL	All	7,500
GLK350	3.5L V-6	3,500
GLK250 BlueTec	2.5L I-4 TD	3,500
ML63 AMG	5.5L V-8 TC	7,200
ML250 BlueTec	2.1L TD	6,600
ML350	3.5L V-6	6,600
ML400	3.0L V-6 TC	7,200

2016 Mercedes-Benz ratings. 2017 ratings not available at press time.

### MITSUBISHI

Outlander 2WD/4WD	3.0L V-6	3,500
-------------------	----------	-------

2016 Outlander rating. 2017 ratings not available at press time.

### NISSAN

Armada	5.6L V-8	8,500
Pathfinder	3.5L V-6	6,000
Quest	3.5L V-6	3,500
Titan 2WD	5.6L V-8	9,390*
Titan 4WD	5.6L V-8	9,230*
Titan XD 2WD	5.6L V-8	11,270*
Titan XD 2WD	5.0L V-8 TD	12,314*



Titan XD 4WD	5.6L V-8	11,000*
Titan XD 4WD	5.0L V-8 TD	12,037*

\*Maximum tow rating, properly equipped

## PORSCHE

Cayenne	All	7,716
Macan	All	4,409

## SUBARU

Outback	2.5L H-4	2,700
---------	----------	-------

## TOYOTA

4Runner (all)	4.0L V-6	5,000
Highlander	3.5L V-6	5,000 (t)
Highlander Hybrid	3.5L V-6	3,500
Land Cruiser	5.7L V-8	8,100
Sequoia SR5 2WD	5.7L V-8	7,400
Sequoia SR5 4WD	5.7L V-8	7,100
Sequoia Ltd 2WD	5.7L V-8	7,300
Sequoia Ltd 4WD	5.7L V-8	7,100
Sequoia Platinum 2WD	5.7L V-8	7,200
Sequoia Platinum	5.7L V-8	7,000
Sienna	3.5L V-6	3,500 (t)

## TACOMA

Tacoma SR Access Cab 2WD/4WD	2.7L I-4	3,500
Tacoma SR DC 2WD	2.7L V-6	3,500
Tacoma SR DC 4WD	4.0L V6	6,400 (t)
Tacoma SR5 Access Cab 2WD	4.0L V-6	6,800 (t)
Tacoma SR5 DC 2WD	4.0L V-6	6,700 (t)
Tacoma SR5 DC 2WD	2.7L I-4	3,500
Tacoma SR5 DC 4WD	4.0L V-6	6,400 (t)
Tacoma SR5 Access Cab 4WD	4.0L V-6	6,500 (t)
Tacoma DC 2WD LB	4.0L V-6	6,600 (t)
Tacoma TRD Sport Access Cab 2WD	4.0L V-6	6,800 (t)
Tacoma TRD Sport Access Cab 4WD	4.0L V-6	6,500 (t)
Tacoma TRD Sport DC 2WD SB	4.0L V-6	6,700 (t)
Tacoma TRD Sport DC 2WD SB	4.0L V-6	6,600 (t)
Tacoma TRD Sport DC 4WD SB/LB	4.0L V-6	6,400 (t)
Tacoma TRD Off Road DC 2WD SB	4.0L V-6	6,700 (t)
Tacoma TRD Off Road Access Cab 4WD	4.0L V-6	6,500 (t)
Tacoma TRD Off Road DC 4WD	4.0L V-6	6,400 (t)
Tacoma TRD PRO DC 4WD	4.0L V-6	6,400
Tacoma Limited DC 2WD SB	4.0L V-6	6,600
Tacoma Limited DC 4WD SB	4.0L V-6	6,400

## TUNDRA

Tundra SR Reg Cab 2WD	5.7L V8	10,500 (t)
Tundra SR DC 2WD	4.6L V-8	6,800
Tundra SR5 DC 2WD	4.6L V8	6,800
Tundra SR DC 2WD	5.7L V8	10,300 (t)
Tundra SR5 DC LB 2WD	5.7L V-8	10,300 (t)
Tundra SR DC LB 2WD	5.7L V8	10,100 (t)
Tundra Limited DC 2WD	5.7L V8	10,100 (t)
Tundra SR5 CrewMax 2WD	4.6L V8	6,700
Tundra SR5 CrewMax 2WD	5.7L V8	10,100 (t)
Tundra Limited CrewMax 2WD	5.7L V8	9,500 (t)
Tundra Platinum CrewMax 2WD	5.7L V8	9,500 (t)
Tundra 1794 CrewMax 2WD	5.7L V8	9,500 (t)
Tundra TRD Pro DC 4WD	5.7L V8	9,700 (t)
Tundra SR Reg Cab LB 4WD	5.7L V8	10,300 (t)
Tundra SR5 DC 4WD	5.7L V8	9,900 (t)
Tundra SR DC 4WD	5.7L V8	9,900 (t)
Tundra SR DC LB 4WD	5.7L V8	9,800 (t)
Tundra SR5 DC LB 4WD	5.7L V8	9,800 (t)
Tundra SR DC Std Bed 4WD	4.6L V-8	6,500
Tundra SR5 DC Std Bed 4WD	4.6L V-8	6,500
Tundra SR5 DC Std Bed 4WD	5.7L V8	9,900 (t)
Tundra SR DC Std Bed 4WD	5.7L V-8	9,900 (t)
Tundra SR DC LB 4WD	5.7L V8	9,800 (t)
Tundra SR5 DC LB 4WD	5.7L V-8	9,800 (t)
Tundra Limited DC 4WD	5.7L V8	9,100 (t)
Tundra SR5 CrewMax 4WD	4.6L V8	6,400
Tundra SR5 CrewMax 4WD	5.7L V8	9,800 (t)
Tundra TRD Pro CrewMax 4WD	5.7L V8	9,200 (t)
Tundra Limited CrewMax 4WD	5.7L V8	8,900 (i)
Tundra Platinum CrewMax 4WD	5.7L V8	8,800 (t)
Tundra 1794 CrewMax 4WD	5.7L V8	8,800 (t)

Tundra ratings vary depending on trim level and equipment selected. See dealer for details.

## VOLKSWAGEN

Tiguan	2.0L I-4 TC	2,200
Touareg	All	7,716

2016 Volkswagen ratings. 2017 ratings not available at press time.

## VOLVO

S60	All	3,500
S90	T-5	3,700
S90	T-6	4,600
XC60	All	3,500
XC90	All	5,000